


# Taking Your Impaired Driving Cases to a HIGHer Level: Making Stronger Cases and the Road to DRE

Joe Abrusci
IACP DEC Program Region Project Manager

#### **IACP National DEC Program Operations**





Kyle Clark National DECP Project Manager



#### Picture This Scenario



Officers see and stop a vehicle for being operated in an erratic manner.

They find the driver has bloodshot eyes, speech slurred, acts confused and disoriented.



#### Picture This Scenario



Field sobriety tests are administered and clues to impairment are found.

But a breath test detects little or no alcohol in the driver's body.





How do you handle this Situation?



The result of an improper investigation/decision can affect many others!







Issue in detecting stopping, and arresting Impaired Drivers

This is what led to the creation of the the Drug Recognition Program





Home / News / 2021 / Crash rates rise in states with legal manijuana

#### Crash rates jump in wake of marijuana legalization, new studies show

June 17, 2021



#### Related

Changes in traffic crash rates after legalization of marijuana: results by crash severity

Research paper

Recreational marijuana and collision claim frequencies [2]

HLDI Bulletin Vol. 37, No. 20: December 2020

Cannabis presentations to the emergency department after motor vehicle crashes in the era of legalization for recreational use

Research paper



#### Marijuana Workforce Drug Test Positivity Continues Double-Digit Increases to Keep Overall Drug Positivity Rates at Historically High Levels, Finds Latest Quest Diagnostics Drug Testing Index™ Analysis

First Large-Scale National Analysis of Workforce Drug Testing During the COVID-19 Pandemic, Based on More Than 9 Million Drug Tests in 2020 Stark Differences in Positivity Between States that Permit Recreational Marijuana Use with Either Medical Use and No Legal Marijuana States Marijuana Positivity Rate of Post-Accident Test Results Grew Faster Than Rate for Pre-Employment Testing



SECAUCUS, N.J., May 26, 2021 /PRNewswire/ -- The COVID-19 pandemic did not dampen workforce drug testing positivity for marijuana, which continued to increase last year in the general U.S. workforce, according to a new analysis released today by Quest Diagnostics (NYSE: DGX), the world's leading provider of diagnostic information services. This study is thought to be the first large-scale analysis of de-identified results of laboratory workforce drug tests performed during the COVID-19 pandemic.



#### **Drugs Impair Drivers' Abilities**

A report prepared by the <u>Office of National Drug Control Policy</u> highlights the following facts about fatal accidents in which drivers were tested for drugs:

- 18 percent of all fatally injured drivers tested positive for drugs.
- 57 percent of all drug-positive driver crashes were single-vehicle accidents.
- 48 percent of drivers who tested positive for any drug also tested positive for alcohol.
- Narcotics and cannabinoids (the compound found in marijuana) accounted for almost half of all drug-positive results.
- Cannabinoids were found in 43 percent of all fatalities under the age of 24 who tested positive for drugs.
- A higher rate of narcotics and depressants were found in fatally injured drivers over the age of 45.



#### **Impaired Driving Countermeasures**





## Standardized Field Sobriety Testing (SFST) Training





## **SFST**

Training for officers:

Three Phases of DWI Detection



 Proper Administration of the three SFSTs



Brief Overview of Drugged Driving





## SFST

- Academy or Post-academy
- Provides foundation for identifying impairment





## SFST

#### **Standardized Field Sobriety Tests:**

Horizontal Gaze Nystagmus



Walk and Turn



One Leg Stand



Implemented in 2009

Intended to bridge the gap between:

SFST trained officers - DRE trained officers









#### Training for officers:

Ensures proficiency in the SFST




- Observe, identify, and articulate signs of drug impairment
- Introduction to drug combinations
  - Alcohol with other drugs
  - Poly drug use





#### **Additional Psychophysical tests:**

• Modified Romberg Balance



• Finger-to-Nose





#### Additional eye examinations:

• Lack of Convergence



Pupil Size Observations





#### DRE





# Drug Recognition Expert (DRE)








## Drug Recognition Experts (DRE)

- The premier drugged driving detection and enforcement program
- Over 8,100 DREs nationally (12/31/2021)
- Over 800 international DREs (Canada, UK, Guam, American Samoa)

 Approximately 2,600 law enforcement agencies with nationally





## **DRE Training Process**









## **DRE Training Process**

- ✓ Proficient in SFST
- ✓ ARIDE (Not mandatory, but recommended)
- ✓ DRE Pre-School (16-hours)
- ✓ DRE School (56-hours)
- ✓ DRE Final Exam (80% minimum)
- ✓ Field Certification (12 evaluations minimum)
- ✓ DRE Final Knowledge Exam
- ✓ Approved C.V. and Rolling Log
- ✓ Recommended by 2 DRE instructors
- ✓ Certified by DRE State Coordinator
- ✓ Credentialled by the IACP






## DRE Enforcement Programs

- ✓ Holiday impaired driving Crackdown events
- ✓ DUI Taskforce events
- ✓ Checkpoint operations
- ✓ Emphasis / Saturation patrols
- ✓ Crash Teams
- ✓ Commercial Motor Vehicle inspections (Operation Trucker Check)





# Origin Of The DRE Program



Officers from the Los Angeles Police Department (LAPD) began to develop their own expertise on the effects of impairing drugs other than alcohol.

They consulted with doctors, psychologists, and drug abusers to educate themselves about the effects of drugs.





#### **Origin Of DRE Program**

#### Realized there was difference between;



**DUI** (Driving Under the Influence) vs.

**DWI** (Driving while Impaired).

## Does DUI of a drug mean you are Impaired?

Nearly 70 percent of Americans are on at least one prescription drug, and more than 50 Percent take two,



## **Evolution of the DRE Program?**

The DRE program evolved into a Standardized and Systematic 12 Step Process to determine the following:

- 1. Whether or not the suspect is IMPAIRED; if so,
- 2. Whether the impairment relates to a MEDICAL CONDITION AND/OR DRUGS; and if drugs,
- 3. What category or combination of CATEGORIES OF DRUGS are the likely cause of the impairment.

## **IACP National DEC Program**

#### **Technical Advisory Panel**

**Subcommittees:** 

**Scientific Workgroup** 

**Standards** 

Curriculum

Three regional reps, two representatives from the medical field, toxicologist, prosecutor, POST, NHTSA, DRE State Coordinator, four DRE-at large



Drug Recognition Expert Section (DRE)

www.decp.org




### **Impaired Driving Curricula**

 February 2018 NHTSA/IACP Impaired Driving Curricula latest release

 Included: SFST, SFST Refresher, SFST Instructor Development Course (Train-the-Trainer), ARIDE, DRE Pre-School, DRE 7-Day School and DRE Instructor

Next update – under way!
 Late Spring/Early Summer 2022 release.






## Benefits of Involving a DRE.....

- Specialist in DUI investigations, equivalent of Detective/Crash Reconstructionist
- Higher level of training and experience
- Better trained to recognize and and collect additional evidence of impairment
- Opinion Testimony
- More likely to be accepted by a Judge as an expert than most officers
- Better prepared to address defense challenges



## **DRE Toxicology Refusals**





Source: NHTSA National Sobriety Testing Resource Center (NSTRC) and DRE Annual Reports

#### **SFST's and Clinical Indicators**

Internal clock estimated as 30 seconds  Draw lines to spots touched  PUPIL SIZE Room light Darkness Direct S.0 - 8.5 2.0 - 4.5  Left Eye  REBOUND DILATION D Yes D No REACTION TO LIGHT:  RIGHT ARM  EFFT ARM  Slood pressure Temperature	Pulse and time	HGN	Right Eye	Lett Eye	1000	the contract of	ONE LEGISTAND
Romberg Balance  Walk and turn test  Cannot keep balance  Stops walking  Angie of United  Walk and turn test  Cannot keep balance  Stops walking  Angie of United  Uses arms to balance  Hopping  Puts foot down  Type of footwear:  Nasal steps taken  Pupil SIZE Room help  Resound to test (explain)  Type of footwear:  Nasal steps  Resound test (explain)  Type of footwear:  Resound test foot down  Resource test foother to be the fo	- Total ( 1991 -	Track of Smooth Direct	nit .	-	Conv	ergence	
Romberg Balance  Walk and turn test  Cannot keep talance  L R Sways while balancin  Stops waking Marca basines  L R Sways while balancin  U Uses arms to balance  Hopping  Puts foot down.  Puts foot down.  Type of footwear:  Puts Elect Eye  Right Eye  Right Eye  Right Eye  Right ARM  REBOUND DILATION II Yes II NO  REBOUND DILATION II YES II	The second secon			100	( )	( )	6.6
Romberg Balance  Walk and turn test  Cannot keep balance  1 **Mac 2** None  Uses arms to balance  Hopping  Stops withing  Annot arm arm  Annot stop stime  Estimated as 30 seconds  Draw lines to spots touched  PUPIL SIZE  Room light  2.5 - 5.0  Right Eye  Right Eye  Right Eye  Right Eye  Right Arm  Right Arm	The second secon	Angle of Unset			Sinhi ma	1-6	0 R L @
Internal clock estimated as 30 seconds  Draw lines to spots touched  PUPIL SIZE Room light Darkness Direct 2.5 - 5.0 5.0 - 8.5 2.0 - 4.5  Left Eye  Right Eye  Right Eye  Right Amul State In No Reactron to Light:  Right Amul State In No Reactron to Light:  Right Eye  Right Eye  Right Amul State In No Reactron to Light:  Right Amul State In No Reactron to Light:  Right Eye  Blood pressure  Right Amul State In No Reactron to Light:	Account to account	Walk and turn test		Store too so Stope walkin	t Nac		Sways while balancing     Uses arms to balance     Hopping
Right Eye  Right Eye  Right Eye  Right Am  Rig	Internal clock estimated as 30 seco	Describe Turn	urt ha	Actual steps		in)	Type of footwear:
Elood pressure  Left Eye  Right Eye  REBOUND DILATION II Yes III No REACTION TO LIGHT:  RIGHT ARM  LEFT ARM  LEFT ARM  Left ARM  Left ARM	Draw lines to	spots touched	PUPIL SIZE				Nasal area
REBOUND DILATION D YES D NO REACTION TO LIGHT:  REBOUND DILATION D YES D NO REACTION TO LIGHT:  RIGHT ARM  Ellood pressure l'empérature	B (C		Left Eye	2.5 - 5.0	5.0 - 0.5	2.0 - 4.5	-
REBOUND DILATION D YES D NO REACTION TO LIGHT:  RIGHT ARM  Elood pressure l'emperature  anche sone		1) 🛕	72				Oral cavity:
RIGHT ARM  Elood pressure  Remperature		_ (/ -	Right Eye				-
Signature Temperature	3 ( 3)		REBOUNDE			REACTION	
Blood pressure l'empérature	(1) 1 =	= / A		RIGHT	ARM		LEFT ARM
Blood pressure Temperature	- 11 -	5 / A		-			-
fuscle total	(5)	1 6	=	-	-	-	73
fusels totals					170	- 0	W.
fuscle total				1	/		1
fusels totals				0			$\sim$
fuscle tone:	Blood pressure	Temperature	- €				
		10000		2		-	7
□ Near Neumal □ Flactid □ Riceid		beend D Rigid					



### **Impaired Driving Cases**

- ▶ Thinking BEYOND "checking the boxes"
- ▶ Going through the motions vs seizing the moment
- ▶ Opportunities to gather information/question the subject
- ▶ Suspect's statements
  - Spoken
  - Unspoken
  - body language
  - other "statements"
- ▶ Follow up questions
- ▶ Making or breaking your case



## IACP DEC Program Website

#### www.decp.org



"What's New"/DRE Resources/Training Information





#### Joe Abrusci

IACP
DEC Program Eastern Region Project
Manager
abrusci@theiacp.org
703-647-7258

IACP DEC Program Website: www.decp.org

